Sanitized - Approved For Poloase: CIA-RDP70-00211R000200160080-3

Report for Week Ending 26 December 1956 from FORMS MANAGEMENT BRANCH

COMPLETED ACTIONS

1.			Statis	Statistical Summary				
TYPE	DD/I	DD/P	DD/s	STOCK	TOTAL	NO. OF COPIES		
New Revision Reprint Total	2 1 -	- - 1	2 3 2	- 1	4 4 <u>1</u> 12	11,700 20,000 938,000 969,700		

25X1A9a

2. Develops Polygraph Agreement for Security - - In collaboration with ARO/OS, this formerly mimeographed bootles form (now Form No. 1139) was standardized and brought under control. Design and typography were improved; white paper was substituted for blue.

25X1A9a

25X1A9a

3. Medical Officer's Psychiatric Evaluation of Employees Form Sent to Printer - Form No. 1055 b, Job Satisfaction Inventory, mentioned as a pending item in last week's report was completed and sent to the printer 12/20. The form was greatly simplified; all questions can now be accurately answered by means of check boxes; the size (number of pages) was reduced; and a remarks space for the employees suplementary use was provided. The OPI was pleased with our improvements.

25X1A9a

Expedited Special handling of this job enabled us to process it the same day it was received and to arrange with PSD/OL to obtain delivery of an overprinted stock of IBM cards to MRD/Compt. next week. This form is part of the whole Biographic Profile project on which we have been working rather closely with Mr.

25X1A9a

PENDING ACTIONS

1.

			Statistical Summary		
TYPE	DD/I	DD/P	DD/S	STOCK	TOTAL
New #	2	2	16	4	24
Revision	•	1	5	4	10
Reprint Total	-2	<u>2</u> , 5	21	8	2 36

Sanitized - Approved For Release : CIA-RDP70-00211R000200160080-3

Sanitized - Approved For Release : CIA-RDP70-00211R000200160080-3

25X1A9a

2. Materials Handling and Running Tests of Form 1K series Bid Samples Scheduled Materials samples have been received from the low bidder and are being forwarded to RC/RQM/DD/P for manitoring the first testing phase. Sample sets will be farmed out to Area Divisions for typing in a normal manner and return to RC/RQM. Samples will then be sent to Cable Secretariat for additional typing and erasure tests. Cable Secretariat will then run off the offset masters and report on results.



25X1A9a

Sanitized - Approved For Release : CIA-RDP70-00211R000200160080-3